


THE WORLDWIDE PIONEER IN

# ROTARY TABLES







Heavy duty NC rotary tables with twin-drive

### FIBRODYN® DA

Highly dynamic NC rotary tables with direct torque drive

### **FIBROTAKT®**

Precision rotary tables with Hirth face gearing

### **CUSTOM SOLUTIONS**

Customer-specific rotary tables

### Roto Motion **ROTARY TABLES FOR AUTOMATION SYSTEMS**

### **FIBROTOR®**

Universal rotary tables with cam drive

### **FIBROMAT®**

Heavy-load positioning tables

### FIBRODYN® DM


Direct driven high-speed rotary tables

### **CUSTOM SOLUTIONS**

Custom-made automation solutions







### **ROTARY TABLES FOR** THE USE IN **MACHINE TOOLS**

### **FIBROPLAN®**

### **NC** rotary tables with worm drive

### Your application

- > All-rounder for the most diverse applications
- > Available as single or multi-axis combination
- > Transport loads up to 20 tons
- > Ideal for circular milling and simultaneous machining
- > Extremely broad range of table top diameters (160 - 3000 mm)

### **Your benefits**

- > Worm drive (with adjustable play) for highest drive torques and lowest backlash
- > Extremely low design for maximum operating area
- > Design with force distribution optimisation for highest rigidity
- > Pre-stressed axial/radial bearing for highest resistance to tilt and best axial runout accuracy and concentricity
- > High-resolution encoder for excellent positioning accuracy (up to  $\pm$  2") and repeat accuracy (up to  $\pm$  0.25")
- > Hydraulic table top clamping for highest tangential rigidity without loading the drive components
- > Tried and tested over decades, renowned for best possible operational safety

### **FIBROMAX®**

### **Heavy duty NC rotary tables** with twin-drive


### Your application


- > Transport loads over 400 tons
- > Positioning as well as circular and simultaneous multi-axis machining
- > Available in the modular system as a stand-alone rotary table and as a rotary-linear-table
- > With additional tilting axis, perfectly suitable for machining wind turbine hubs


### **Your benefits**

- > Roller bearing for highest costeffectiveness and minimal energy consumption with lowest temperature rise
- > Twin-drive for highest precision and low backlash
- > Design with force distribution optimisation for highest rigidity
- > Pre-stressed, largely dimensioned axial/radial bearing for highest resistance to tilt and best axial runout accuracy and concentricity
- > Highest geometric accuracy in the u range
- > High-resolution encoder for excellent positioning accuracy (up to  $\pm 2$ ") and repeat accuracy (up to  $\pm$  0.25")
- > Hydraulic table top clamping for highest tangential rigidity without loading the drive components









### FIBRODYN® DA

## Highly dynamic NC rotary tables with direct torque drive

### **FIBROTAKT®**

### Precision rotary table with Hirth face gearing

# CUSTOM SOLUTIONS

### Customer-specific rotary tables

### Your application

- > Highest speeds and accelerations
- > Diverse operating modes without spanning: Positioning mode, rotary, circular and simultaneous machining
- > Suitable for applications not permitting any backlash
- > Highest machining accuracies at extremely low speeds

### Your application

- > For precision positioning applications up to ± 1", repeat accuracy up to ± 0.1"
- > No NC controller required
- > Hydraulically, electrically or pneumatically driven and controlled
- Also available as a built-in variant for integrated machine designs, e.g. custom rotary indexing table machines

### Your application

- > Tailor-made rotary table solutions especially for your application, e.g.
  - > Rotary table multi-axis combinations
  - > Planetary tables
  - > Built-in rotary tables
  - > Rotary-linear tables
  - > Stand-alone rotary tables

### **Your benefits**

- > Highest dynamics for extremely fast positioning times
- > High-precision bearings for perfect concentric and axial runout
- > Integrated motor to prevent interference contours
- Without gear parts to minimise damage in the event of collisions
- > High-resolution encoder for excellent positioning accuracy (up to ± 2") and repeat accuracy (up to ± 0.25")
- Hydraulic table top clamping for highest tangential rigidity
- Compatible with the FIBROPLAN® model as an upgrade option for fastest acceleration without additional design overhead

### **Your benefits**

- > Precision FIBRO face gearing for best geometric accuracies
- > Hydraulic locking of the face gearing for highest resistance to tilt
- > Flat design for maximum operating area
- Sturdy, wear-resistant design for long service life with low maintenance overhead
- > Extremely broad spectrum of sizes, fittable with table top diameters up to 3000 mm
- > Transport loads up to 15 tons
- Tried and tested over decades: The pioneer amongst rotary tables for reliable process deployment in your production process

### **Your benefits**

- Lowest tooling times with the most flexible positioning and machining capabilities
- > The best of all our rotary tables combined into one solution
- > From problem-solving to delivery everything from a single source
- Many years of FIBRO expertise in the engineering and design of custom rotary table solutions for highest flexibility and process reliability
- > Highest level of production expertise in conjunction with a comprehensive range of machinery
- > Alignment to interfaces and machine concepts required by the customer





# ROTARY TABLES FOR THE USE IN AUTOMATION SYSTEMS

### **FIBROTOR®**

### Universal rotary tables with cam drive

> Universal positioning applications, e.g. for assembly, packaging, printing, labelling or riveting applications

Your application

- > Broad range of storage, transport and feed tasks
- > General drive applications, e.g. as a drive of discontinuous belts or as a shift gearbox
- > Available as an NC or indexing variant

### Your benefits

- > Three standard types the right one for any task:
  - > FIBROTOR® EM for precision, custom requirements
  - > FIBROTOR® ER for fastest possible delivery times with highest level of standardisation
  - > FIBROTOR® RT as a ring table with large centre through-hole
- > Largely dimensioned axial needle bearing for highest transport loads
- > Cam rollers with contact bearings for highest rigidity
- Hardened radial cams for optimal motion sequence and best power transmission
- With hydraulic clamping and reinforced table top support, suitable for light cutting tasks
- Available with many additional options for an array of add-on and deployment applications
- > Sturdy design with long-term lubrication for minimal maintenance and longest service life

### Your application

tables

- > For the dynamic and precise positioning of large and heavy fixtures and parts
- > For superstructural parts up to 9500 mm

**FIBROMAT®** 

**Heavy-load positioning** 

- > Ideal for shell and welded design applications
- Deployable as a setup station, largeformat pallet exchanger and for general handling tasks
- > Available as an NC or indexing variant

### **Your benefits**

- Heavy-duty positioning table with very large centre hole and extremely flat design
- Lubricated for life and maintenancefree for highest process reliability
- Perfect power cut and emergency stop behaviour through drive with spur gear toothing
- > Available with many additional options
  - Indexing unit for indexingaccuracy of max. ± 15" for freely selectable angles
  - > Direct measuring system and additional drive for highest indexing accuracy up to ± 5"
  - > Cross roller bearing for particularly high tilting moments
  - Machine stands and adaptations for replacement of existing rotary tables
  - Special connecting dimensions and specific drilling templates for your individual application

# Roto Motion







### FIBRODYN® DM

### Direct driven high-speed rotary tables

# **CUSTOM SOLUTIONS**

### **Custom-made automation** solutions

### Your application

- > For extremely quick positioning in automation systems
- > Highest positioning and repeat accuracy
- Maximum flexibility for application and product conversions
- Universal deployment for the most diverse of applications

### Your application

- > Tailor-made rotary table automation solutions specially for your application, e.g.
  - > Complete solutions
  - > Rotary table multi-axis combinations
- Machine stands and additional table tops
- > Workpiece seats and fixtures
- > Environment designs, e.g. protective housings

### **Your benefits**

- > Highest dynamics and productivity with extremely fast positioning times
- > Easy to use thanks to intuitive operating software program
- > Integrated control and plug-in cable connection for logic and power supply
- > Slim and very space-saving design
- > Large center hole
- > Energy-efficient design without the use of additional cooling units

### **Your benefits**

- Lowest tooling times with the most flexible positioning and handling capabilities
- > The best of all our rotary tables combined into one solution
- > From problem-solving to delivery everything from a single source
- Many years of FIBRO expertise in the engineering and design of custom rotary table solutions for highest flexibility and process reliability
- Highest level of production expertise in conjunction with a comprehensive range of machinery
- > Alignment to interfaces and machine concepts required by the customer



### FIBRO GMBH

### A COMPANY IN THE LAPPLE-GROUP

Geschäftsbereich Rundtische

Weidachstraße 41-43

D-74189 Weinsberg

**T** +49 7134 73-0

**F** +49 7134 73-218

info@fibro.de

www.fibro.com

- LÄPPLE AUTOMOTIVE
- FIBRO
- FIBRO LÄPPLE TECHNOLOGY
- LÄPPLE AUS- UND WEITERBILDUNG

### **BRANCH OFFICE**

### FIBRO GmbH

Geschäftsbereich Rundtische

Brüggbühlstraße 70

CH-3172 Niederwangen b. Bern

**T** +41 31 981 07 52 **F** +41 31 981 07 53

sales.ch@fibro.com

### FIBRO INDIA PRECISION

PRODUCTS PVT. LTD.

Regd. Office & Works

Plot: A-55, Phase II,

Chakan MIDC, Taluka Khed

410501 Pune

**T** +91 2135 33 88 00 **F** +91 2135 33 88 88

info@fibro-india.com

### FIBRO Inc.

Business Area Rotary Tables

139 Harrison Avenue

US-Rockford, IL 61104

**T** +1 815 229 1300

**F** +1 815 229 13 03

info@fibroinc.com

### FIBRO (SHANGHAI) STANDARD

PARTS CO., LTD.

2nd Floor, Building 30, No. 188,

He Dan Road, (Shanghai) Pilot Free

Trade Zone

200131 Shanghai

**T** +86 021 6083 1589

**F** +86 021 6083 1599 info@fibro-china.com

### FIBRO France SARL

Département Plateaux Diviseurs

26 Avenue de l'Europe

FR-67300 Schiltigheim

**T** +33 390 20 40 41

**F** +33 388 81 08 29

info@fibro.fr

### FIBRO ASIA PTE. Ltd.

9 Changi South Street 3, #07-04

Singapore 486361

**T** +65 65 43 99 63

**F** +65 65 43 99 62

info@fibro-asia.com